

*Appendix C.*  
*Plant Species Observed*  
*at the*  
*Yolo Grasslands Regional Park (2009-2010)*

Plant Species Observed at the Yolo Grassland Regional Park (2009-2010)

Scientific Name	Common Name	Habitat Occurrence	Growth Habit	Wetland Indicator Status	Family
<i>Achyrachaena mollis</i>	Blow wives	AG, VP, VS	AH	FAC*	Asteraceae
<i>Aegilops cylindrica</i> *	Jointed goatgrass	AG	AG	NL	Poaceae
<i>Aegilops triuncialis</i> *	Barbed goat grass	AG	AG	NL	Poaceae
<i>Aesculus californica</i>	California buckeye	D	T	NL	Hippocastanaceae
<i>Aira caryophylla</i> * [ <i>Aspris</i> c.]	Silver hairgrass	AG	AG	NL	Poaceae
<i>Alchemilla arvensis</i>	Lady's mantle	AG	AH	NL	Rosaceae
<i>Alopecurus saccatus</i>	Pacific foxtail	VP, SW	AG	OBL	Poaceae
<i>Amaranthus albus</i> *	Pigweed amaranth	AG, D	AH	FACU	Amaranthaceae
<i>Amsinckia menziesii</i> var. <i>intermedia</i> [A. i.]	Rancher's fire	AG	AH	NL	Boraginaceae
<i>Amsinckia menziesii</i> var. <i>menziesii</i>	Common fiddleneck	AG	AH	NL	Boraginaceae
<i>Amsinckia</i> sp.	Fiddleneck	AG, D	AH	NL	Boraginaceae
<i>Anagallis arvensis</i> *	Scarlet pimpernel	SW, D, SS	AH	FAC	Primulaceae
<i>Anthemis cotula</i> *	Mayweed	AG	AH	FACU	Asteraceae
<i>Anthoxanthum odoratum</i> ssp. <i>odoratum</i> *	Sweet vernal grass	AG	PG	FACU	Poaceae
<i>Aphanes occidentalis</i> [ <i>Alchemilla occidentalis</i> ]	Dew-cup	AG, F	AH	NL	Rosaceae
<i>Asclepias fascicularis</i>	Narrow-leaved milkweed	AG	PH	FAC	Asclepiadaceae
<i>Atriplex</i> sp.	Saltbush	VP, SW	AH	?	Chenopodiaceae
<i>Avena barbata</i> *	Slender wild oat	AG	AG	NL	Poaceae
<i>Avena fatua</i> * [ <i>A. f.</i> var. <i>glabrata</i> , <i>A. f.</i> var. <i>vilis</i> ]	Wild oat	AG	AG	NL	Poaceae
<i>Brassica nigra</i> *	Black mustard	AG, D	AH	NL	Brassicaceae
<i>Brassica rapa</i>	field mustard	AG, D	AH	NL	Brassicaceae
<i>Briza minor</i> *	Little quakinggrass	AG, SW, SS, VP	AG	FACW	Poaceae
<i>Brodiaea californica</i>	California brodiaea	AG	PH	NL	Amaryllidaceae
<i>Brodiaea coronaria</i> ssp. <i>coronaria</i> [ <i>B. c.</i> var. <i>c.</i> ]	Harvest brodiaea	AG	PH	NL	Amaryllidaceae
<i>Brodiaea minor</i> [ <i>B. m.</i> var. <i>nana</i> ]	Small brodiaea	AG, VP	PH	NL	Amaryllidaceae
<i>Bromus diandrus</i> *	Ripgut grass	AG, D	AG	NL	Poaceae
<i>Bromus hordeaceus</i> * [ <i>B. mollis</i> , <i>B. racemosus</i> ]	Soft chess	AG, SW, SS	AG	FACU	Poaceae
<i>Bromus madritensis</i> ssp. <i>rubens</i> * [ <i>B. r.</i> ]	Red brome	AG	AG	NI	Poaceae
<i>Bromus sterilis</i>	Sterile brome	AG, D	AG	NL	Poaceae
<i>Calandrinia ciliata</i> [ <i>C. c.</i> var. <i>menzesii</i> ]	Redmaids	AG	AH	FACU*	Portulacaceae
<i>Callitriche marginata</i> [ <i>C. longipedunculata</i> ]	California water-starwort	VP	AH	OBL	Callitrichaceae
<i>Calocedrus decurrens</i>	Incense cedar	D	T	NL	Cupressaceae
<i>Capsella bursa-pastoris</i> *	Shepherd's purse	AG, VP, VS, SS, SW	AH	FAC	Brassicaceae
<i>Cardamine californica</i> [ <i>Dentaria</i> c.]	Milk-maids	AG	AH	NL	Brassicaceae
<i>Cardamine obliquisperma</i>	Few-seeded bitter-cress	VP, VS, SS, SW	AH	FACW	Brassicaceae
<i>Castilleja attenuata</i> [ <i>Orthocarpus attenuatus</i> ]	Valley tassels	AG	AH	NL	Scrophulariaceae
<i>Centaurea solstitialis</i> *	Yellow star-thistle	AG, D	AH	NL	Asteraceae
<i>Centaureum muehlenbergii</i> [ <i>C. floribundum</i> ]	June centaury	SW, SS	AH	FACW	Gentianaceae
<i>Cerastium arvense</i> var. <i>arvense</i> [ <i>C. a.</i> var. <i>villosum</i> , <i>C. campestre</i> , <i>C. velutinum</i> ]	Mouse-ear chickweed	AG, SW, D	AH	FAC	Caryophyllaceae
<i>Cerastium glomeratum</i> *	Mouse-ear chickweed	AG, D	AH	NL	Caryophyllaceae
<i>Chamaesyce maculata</i>	Spotted spurge	AG, D	AH	NL	Euphorbiaceae
<i>Chamomilla suaveolens</i> * [ <i>Matricaria matricarioides</i> ]	Pineapple weed	AG, D	AH	FACU	Asteraceae
<i>Chenopodium album</i> *	Lambsquarter	AG, SW, VP	AH	FAC	Chenopodiaceae
<i>Chenopodium berlandieri</i>	Goosefoot	AG, D	AH	NL	Chenopodiaceae
<i>Chlorogalum</i> sp.	Soap plant	AG	PH	NL	Liliaceae
<i>Cicendia quadrangularis</i> * [ <i>Microcala</i> q.]	Cicendia, American microcala	VP, SW, SS, D	AH	NL	Gentianaceae
<i>Cichorium intybus</i> *	Chicory	AG, D	PH	NL	Asteraceae
<i>Cirsium vulgare</i> * [ <i>C. lanceolatum</i> ]	Bull thistle	AG, D	AH	FACU	Asteraceae
<i>Clarkia purpurea</i> ssp. <i>quadrivulnera</i> [ <i>C. q.</i> , <i>Godetia</i> q., <i>Oenothera</i> q. var. <i>hirsuta</i> ]	Four-spotted godetia, winecup clarkia	AG	AH	NL	Onagraceae
<i>Clarkia rhomboidea</i>	Rhomboid clarkia	AG	AH	NL	Onagraceae

Plant Species Observed at the Yolo Grassland Regional Park (2009-2010)

<i>Clarkia unguiculata</i>	Elegant clarkia	AG	AH	NL	Onagraceae
<i>Claytonia perfoliata</i> ssp. <i>perfoliata</i> var. <i>perfoliata</i> [Montia p.]	Miner's lettuce	AG, D	AH	FAC	Portulacaceae
<i>Convolvulus arvensis</i> *	Bind weed	AG, D	PV	NL	Convolvulaceae
<i>Conyza</i> sp.	Horseweed	AG, D	AH	?	Asteraceae
<i>Cotula coronopifolia</i> *	African brass-buttons	VP, SW	AH	FACW	Asteraceae
<i>Crassula connata</i> [C. <i>erecta</i> , C. c. var. <i>erectoides</i> , <i>Tillea e.</i> ]	Sand pygmy-stonecrop	SW, AG, D	AH	FAC	Crassulaceae
<i>Crassula saginoides</i> [C. <i>aquatica</i> ]	Water pygmy-stonecrop	VP, SW	AH	OBL	Crassulaceae
<i>Crypsis schoenoides</i> * [Heleochloa s.]	Swamp timothy	VP, VS, SS, SW	AG	OBL	Poaceae
<i>Cuscuta</i> sp.	Dodder	VP, VS	AV	NL	Cuscutaceae
<i>Cynodon dactylon</i> *	Bermuda grass	AG, SW	PG	FAC	Poaceae
<i>Cyperus eragrostis</i>	Umbrella-sedge	SW	PH	FACW	Cyperaceae
<i>Dactylis glomerata</i> *	Orchard grass	AG, D	PG	FACU	Poaceae
<i>Deschampsia danthanoides</i>	Annual hairgrass	SW, VP, VS, SS	AG	FACW	Poaceae
<i>Descurainia spohia</i> [Sophia s.]	Tansy Mustard	AG	AH	NL	Brassicaceae
<i>Dichelostemma capitatum</i> ssp. <i>capitatum</i> [D. <i>pulchellum</i> var. p., <i>Brodiaea</i> p., <i>B. congesta</i> ]	Blue dicks, northern saitas	AG	PH	NL	Amaryllidaceae
<i>Digitaria sanguinalis</i> *	Hairy crabgrass	D	PG	FACU	Poaceae
<i>Diplachne fascicularis</i> [Leptochloa f.]	Bearded sprangletop	VP, SW	AG	OBL	Poaceae
<i>Downingia insignis</i>	Cupped downingia	VP, VS	AH	OBL	Campanulaceae
<i>Echinochloa crusgalli</i> *	Barnyard grass	SW	PG	FACW	Poaceae
<i>Eleocharis acicularis</i>	Slender spike-rush	VP, VS, SS	PH	OBL	Cyperaceae
<i>Eleocharis macrostachya</i> [Heleocharis <i>palustris</i> , E. p.]	Common spike-rush	VP, VS	PH	OBL	Cyperaceae
<i>Elymus glaucus</i> ssp. <i>glaucus</i>	Woodland or blue rye-grass	AG, D	PG	FACU	Poaceae
<i>Epilobium angustifolium</i> [Chamaenerion a., <i>Chamerion a.</i> , <i>spicatum</i> ]	Fireweed	SW	PH	FAC	Onagraceae
<i>Epilobium brachycarpum</i>	Tall willowherb	AG, SW, D	AH	NL	Onagraceae
<i>Epilobium ciliatum</i> ssp. <i>ciliatum</i> [E. <i>adenocaulum</i> , E. <i>brevistylum</i> ]	Hairy or Northern willow-herb	VP, VS, SW, SS		NL	Onagraceae
<i>Epilobium cleistogamum</i>	Fireweed	VP, VS, SW, SS	AH	OBL	Onagraceae
<i>Epilobium pygmaeum</i> [Boisduvalia <i>glabella</i> , B. g. var. <i>campestris</i> ]	Smooth spike-primrose	VP, VS, SW, SS	AH	FACW	Onagraceae
<i>Epilobium torreyi</i> [Boisduvalia <i>stricta</i> ]	Brook or narrow-leaved spike-primrose	VP, VS, SS, SW	AH	FACW	Onagraceae
<i>Eremocarpus setigerus</i>	Dove weed	AG, VP, SW	AH	NL	Euphorbiaceae
<i>Erodium botrys</i> *	Long-beaked filaree	AG, D	AH	NL	Geraniaceae
<i>Erodium cicutarium</i> *	Redstem filaree	AG, D	AH	NL	Geraniaceae
<i>Erodium moschatum</i> *	Whitestem filaree	AG, D	AH	NL	Geraniaceae
<i>Eryngium</i> sp.	Coyote-thistle	VP, VS, SW	PH	FACW-OBL	Apiaceae
<i>Eryngium vaseyi</i> var. <i>vaseyi</i> [E. v. var. <i>vallicola</i> ]	Vasey's coyote-thistle	VP, VS, SW	PH	FACW	Apiaceae
<i>Eschscholzia californica</i> var. <i>californica</i>	California poppy	AG	AH	NL	Papaveraceae
<i>Eucalyptus globulus</i> +	Tasmanian blue gum	D	T	NL	Myrtaceae
<i>Eucalyptus polyanthemos</i> +	Silver-dollar gum	D	T	NL	Myrtaceae
<i>Eucalyptus</i> sp. +	Eucalyptus	D	T	NL	Myrtaceae
<i>Festuca arundinacea</i> * [F. <i>elatior</i> var. a.]	Tall or Kentucky fescue	D	PG	FAC	Poaceae
<i>Festuca</i> sp.	Fescue	AG, D		NL	Poaceae
<i>Gastridium ventricosum</i> *	Nitgrass	AG, SW, D	AG	FACU	Poaceae
<i>Geranium dissectum</i> *	Dissected geranium	AG, SW, SS	AH	NL	Geraniaceae
<i>Gilia tricolor</i>	Birdseye gilia	AG	AH	NL	Polemoniaceae
<i>Glyceria declinata</i> *	Waxy mannagrass	VP	PG	[OBL]	Poaceae
<i>Gnaphalium luteo-album</i> *	Cudweed everlasting	AG, VP, SW	AH	FACW	Asteraceae
<i>Gratiola ebracteata</i>	Bractless hedge-hyssop	VS, VP	AH	OBL	Scrophulariaceae
<i>Grindelia camporum</i> var. <i>camporum</i>	Great Valley gumplant	AG, D	S	FACU	Asteraceae
<i>Hemizonia fitchii</i>	Fitch's tarplant	AG, SW	AH	NL	Asteraceae
<i>Hemizonia luzulaefolia</i> ssp. <i>luzulaefolia</i>	Hayfield tarweed	AG, SW, SS	AH	[FAC]	Asteraceae
<i>Hemizonia</i> sp.	Spikeweed	AG	AH	?	Asteraceae
<i>Heterotheca grandiflora</i>	Telegraph weed	AG	PH	NL	Asteraceae
<i>Hirschfeldia incana</i> * [Brassica <i>geniculata</i> , H. <i>adpressa</i> ]	Summer mustard	AG, D	PH	NL	Brassicaceae
<i>Holocarpha virgata</i> ssp. <i>virgata</i>	Virgate tarweed	AG, SW	AH	NL	Asteraceae

Plant Species Observed at the Yolo Grassland Regional Park (2009-2010)

<i>Hordeum brachyantherum</i> ssp. <i>brachyantherum</i> [ <i>H. boreale</i> , <i>H. jubatum</i> var. <i>b.</i> , <i>H. nodosum</i> var. <i>b.</i> ]	Meadow barley	SW	PG	FACW	Poaceae
<i>Hordeum marinum</i> ssp. <i>gussoneanum</i> * [ <i>H. geniculatum</i> , <i>H. hystrix</i> ]	Mediterranean barley	AG, VP, VS, SS, SW	AG	FAC	Poaceae
<i>Hordeum murinum</i> ssp. <i>leporinum</i> * [ <i>H. leporinum</i> ]	Hare barley	AG	AG	NL	Poaceae
<i>Hypericum anagaloides</i>	Tinker's penny, bog St. John's-wort	SW, VP	PH	OBL	Clusiaceae
<i>Hypochoeris glabra</i> *	Smooth cat's-ear	AG, D	AH	NL	Asteraceae
<i>Hypochoeris radicata</i> *	Hairy cat's-ear	AG, D	BH	NL	Asteraceae
<i>Isoetes</i> sp.	Quill wort	VP, SS, SW, VS	PF	OBL	Isoetaceae
<i>Juncus bufonius</i> var. <i>bufonius</i>	Common toad rush	SW, VP, VS, SS	AH	OBL	Juncaceae
<i>Juncus capitatus</i>	Capped rush	SW, VP, VS, SS	AH	FACU	Juncaceae
<i>Juncus uncialis</i>	Inch-high rush	VP, VS, SW	AH	OBL	Juncaceae
<i>Juncus xiphioides</i> var. <i>xiphioides</i>	Iris-leaved rush	SW	PH	OBL	Juncaceae
<i>Lactuca serriola</i> *	Prickly wild lettuce	AG, SW, D	AH	FAC	Asteraceae
<i>Lasthenia fremontii</i>	Fremont goldfields	VP, VS, SW	AH	OBL	Asteraceae
<i>Lasthenia glaberrima</i>	Rayless goldfields	VP	AH	OBL	Asteraceae
<i>Lathyrus angulatus</i> *	Angular-seeded pea	AG	AH	NL	Fabaceae
<i>Layia fremontii</i>	Fremont tidy tips	AG, SS	AH	NL	Asteraceae
<i>Leontodon taraxacoides</i> ssp. <i>taraxacoides</i> * [ <i>L. leysseri</i> ]	Perennial hawkbit	AG, SW, SS	PH	FACU	Asteraceae
<i>Lepidium nitidum</i>	Common peppergrass	AG	AH	NL	Brassicaceae
<i>Lepidium latifolium</i>	Broadleaf peppergrass	SS, SW, VP, AG	PH	FACW	Brassicaceae
<i>Leymus triticoides</i> [ <i>Elymus</i> t.]	Creeping or alkali rye-grass	SS, SW, AG	PG	FAC	Poaceae
<i>Lilaea scilloides</i>	Flowering quillwort	VP, VS	AH	OBL	Juncaginaceae
<i>Linanthus bicolor</i> ssp. <i>bicolor</i>	Baby stars, bicolored linanthus	AG	AH	NL	Polemoniaceae
<i>Logfia gallica</i> [ <i>Filago</i> g. ]	Woolly filago	AG	AH	NL	Asteraceae
<i>Lolium multiflorum</i> * [ <i>L. m. varieties</i> , <i>L. perenne</i> ssp. <i>m.</i> ]	Annual Italian ryegrass	AG, SW, VP, VS, SS	AG	[FAC]	Poaceae
<i>Lolium perenne</i> * [ <i>L. p. var. aristatum</i> , <i>L. p. var. cristatum</i> ]	Perennial or English ryegrass	AG, SW	PG	FAC*	Poaceae
<i>Lotus corniculatus</i> *	Bird's-foot trefoil	SW, D	PH	FAC	Fabaceae
<i>Lotus purshianus</i>	Pursh's lotus	AG	AH	NL	Fabaceae
<i>Lupinus bicolor</i>	Bicolored lupine	AG, SW	AH	NL	Fabaceae
<i>Lythrum hyssopifolia</i> [ <i>L. adsurgens</i> ]	Hyssop loosestrife, wallow poly	VS, VP, SS, SW	AH/PH	FACW	Lythraceae
<i>Malvella leprosa</i> [ <i>Sida</i> l. var. <i>hederacea</i> ]	Alkali mallow	VS, VP, SS, SW	PH	FAC	Malvaceae
<i>Medicago polymorpha</i>	Bur-clover	AG, D	AH	NL	Fabaceae
<i>Melilotus indica</i> *	Yellow sweetclover	SW	AH	FAC	Fabaceae
<i>Microseris douglasii</i> ssp. <i>douglasii</i>	Douglas' microseris	AG, D	AH	NL	Asteraceae
<i>Microseris</i> sp.	Microseris	AG, D	AH	NL	Asteraceae
<i>Mimulus tricolor</i>	Tricolor monkeyflower	VP, VS	AH	OBL	Scrophulariaceae
<i>Montia fontana</i> [ <i>M. f. var. chondrosperma</i> , <i>M. verna</i> ]	Water chickweed	VP, VS, SS, SW	AH	OBL	Portulacaceae
<i>Myosurus minimus</i>	Mouse-tail	VP	AH	OBL	Ranunculaceae
<i>Nassella pulchra</i> [ <i>Stipa pulchra</i> ]	Purple needlegrass		PG	NL	Poaceae
<i>Navarretia intertexta</i>	Needle-leaved navarretia	VP	AH	OBL	Polemoniaceae
<i>Navarretia leucocephala</i> ssp. <i>leucocephala</i>	White-flowered navarretia	VP, VS	AH	OBL	Polemoniaceae
<i>Nemophila menziesii</i> var. <i>menziesii</i>	Baby blue-eyes	AG	AH	NL	Hydrophyllaceae
<i>Nerium oleander</i> +	Oleander	D	S	NL	Apocynaceae
<i>Orthocarpus linearilobus</i>	Pallid owl's clover	AG	AH	NL	Scrophulariaceae
<i>Panicum capillare</i>	Witchgrass	SW	AG	FAC	Poaceae
<i>Paspalum dilatatum</i> *	Dallis grass	SW, D	PG	FAC	Poaceae
<i>Phalaris aquatica</i> * [ <i>P. stenoptera</i> , <i>P. tuberosa</i> , <i>P. t. var. s.</i> ]	Harding grass	VP, VS	PG	FAC	Poaceae
<i>Phalaris lemmonii</i>	Lemmon's canary grass	VP, VS	AG	FACW	Poaceae
<i>Phalaris paradoxa</i> *	Paradox canary grass	SW, D	AG	[FACW]	Poaceae
<i>Picris echioides</i> *	Bristly ox-tongue	AG, SW	AH	FAC*	Asteraceae
<i>Pilularia americana</i>	American pillwort	VP	PF	OBL	Marsileaceae
<i>Pinus muricata</i> [ <i>P. remorata</i> ]	Bishop pine	D	T	NL	Pinaceae
<i>Plagiobothrys</i> sp.	Popcornflower	VP, VS, SW	AH	?	Boraginaceae
<i>Plagiobothrys stipitatus</i> var. <i>micranthus</i>	Small stipitate popcornflower	VP, VS, SW	AH	OBL	Boraginaceae

Plant Species Observed at the Yolo Grassland Regional Park (2009-2010)

<i>Plagiobothrys stipitatus</i> var. <i>stipitatus</i>	Stipitate popcornflower	VP, VS, SW	AH	OBL	Boraginaceae
<i>Plantago erecta</i> ssp. <i>erecta</i>	California plantain	AG	AH	NL	Plantaginaceae
<i>Plantago lanceolata</i> *	Narrowleaf plantain	D, AG, SW	PH	FAC	Plantaginaceae
<i>Plantago major</i> *	Broadleaf plantain	D, AG	PH	FACW	Plantaginaceae
<i>Plantago</i> sp.	Plantain	VP, VS, SW	PH	?	Plantaginaceae
<i>Poa annua</i> var. <i>annua</i> *	Annual bluegrass	VS, SS, SW, D	AG	FACW	Poaceae
<i>Pogogyne zizyphoroides</i>	Sacramento mesamint	VP, VS, SW	AH	OBL	Lamiaceae
<i>Polygonum arenastrum</i> *	Common knotweed	AG, VP, VS, SS, SW	AH	FAC	Polygonaceae
<i>Polypogon interruptus</i> * [ <i>P. lutosus</i> ]	Ditch rabbitsfoot grass	VP, VS, SS, SW	PG	OBL	Poaceae
<i>Polypogon monspeliensis</i> *	Rabbitsfoot grass	VP, VS, SS, SW	AG	FACW	Poaceae
<i>Populus nigra</i>	Lombardy poplar	D	T	NL	Salicaceae
<i>Psilocarphus brevissimus</i>	Woolly marbles	VP, VS	AH	OBL	Asteraceae
<i>Psilocarphus brevissimus</i> var. <i>brevissimus</i>	Woolly marbles	VP, VS	AH	OBL	Asteraceae
<i>Psilocarphus oregonus</i>	Oregon woolly-heads	D, AG	AH	OBL	Asteraceae
<i>Quercus lobata</i>	Valley oak	AG, D	T	FAC*	Fagaceae
<i>Ranunculus bonariensis</i> var. <i>trisepalus</i>	Vernal buttercup	VS, VP, SW	AH	OBL	Ranunculaceae
<i>Ranunculus muricatus</i> *	Prickle-fruited buttercup	SW, SS, D	PH	FACW	Ranunculaceae
<i>Raphanus raphanestrum</i> *	Yellow wild raddish	AG, D	AH	NL	Brassicaceae
<i>Raphanus sativus</i>	Wild radish	AG, D	AH	NL	Brassicaceae
<i>Robinia pseudoacacia</i> *	Black locust	D	T	FAC*	Fabaceae
<i>Rosa californica</i>	California wild rose	D	S	FAC	Rosaceae
<i>Rumex acetosella</i> *	Sheep sorrel	VS, SW	PH	FAC-	Polygonaceae
<i>Rumex conglomeratus</i> *	Green dock	SW, SS	PH	FACW	Polygonaceae
<i>Rumex crispus</i> *	Curly dock	SW, IP, P, SS	PH	FACW	Polygonaceae
<i>Rumex pulcher</i> *	Fiddle dock	SW, SS	PH	FAC	Polygonaceae
<i>Rumex salicifolius</i>	Willow dock	AG, SW	PH	OBL	Polygonaceae
<i>Salsola</i> sp.	Russian thistle	AG, D	AH	?	Chenopodiaceae
<i>Scirpus robustus</i> [ <i>S. maritimus</i> vars. <i>agonus</i> & <i>macrostachyus</i> ]	Alkali bulrush	VP	PH	OBL	Cyperaceae
<i>Scirpus tuberosa</i> [ <i>S. maritimus</i> var. <i>tuberosa</i> ]	Tuberous bulrush	VP	PH	OBL	Cyperaceae
<i>Senecio vulgaris</i> *	Common groundsel	AG	AH	NI*	Asteraceae
<i>Silene gallica</i> *	Windmill pink	AG	AH	NL	Caryophyllaceae
<i>Silybum marianum</i> *	Milk thistle	AG, D	AH	NL	Asteraceae
<i>Sisymbrium irio</i> *	London rocket	AG, D	AH	NL	Brassicaceae
<i>Sisymbrium</i> sp.	Mustard	AG, D	AH	?	Brassicaceae
<i>Sonchus arvensis</i> *	Field sow-thistle	AG, D	PH	FACU	Asteraceae
<i>Sonchus asper</i> *	Prickly sow-thistle	AG, D, SW	AH	FAC	Asteraceae
<i>Sonchus oleraceus</i> *	Common sow-thistle	AG, D	AH	NI*	Asteraceae
<i>Spergularia rubra</i> * [ <i>Tissa</i> r.]	Purple sandspurry	AG, D, SW	AH	FAC	Caryophyllaceae
<i>Spergularia</i> sp.	Sandspurry	SW, SS	AH	?	Caryophyllaceae
<i>Stellaria media</i> *	Common chickweed	AG, D, SW	AH	FACU	Caryophyllaceae
<i>Taeniatherum caput-medusae</i> * [ <i>Elymus caput-medusae</i> , <i>T. asperum</i> ]	Medusa head	AG	PG	NL	Poaceae
<i>Tribulus terrestris</i> *	Land caltrop. (puncture weed)	AG, D	AH	NL	Zygophyllaceae
<i>Trichostema lanceolatum</i>	Vinegar weed	AG, VP, SW, VS, SS	AH	NL	Lamiaceae
<i>Trifolium bifidum</i> var. <i>bifidum</i> [ <i>T. b.</i> var. <i>decipiens</i> ]	Bifid clover	AG	AH	NL	Fabaceae
<i>Trifolium depauperatum</i> var. <i>depauperatum</i> [ <i>T. amplexens</i> , <i>T. stenophyllum</i> , <i>T. d.</i> ]	Dwarf sack clover	AG, SW	PH	FAC	Fabaceae
<i>Trifolium dubium</i> *	Shamrock	AG, SW	PH	FACU*	Fabaceae
<i>Trifolium fucatum</i> [ <i>T. physopetalum</i> ]	Sour clover	AG, SW	AH	FAC	Fabaceae
<i>Trifolium gracilentum</i> var. <i>gracilentum</i> [ <i>T. g.</i> var. <i>inconspicuum</i> ]	Pin-point clover	AG, D	AH	NL	Fabaceae
<i>Trifolium gracilentum</i> var. <i>palmeri</i> [ <i>T. p.</i> ]	Palmer's clover	AG, D	AH	NL	Fabaceae
<i>Trifolium hirtum</i> *	Rose clover	AG	AH	NL	Fabaceae
<i>Trifolium repens</i> *	White clover	AG, D	AH	FACU	Fabaceae
<i>Trifolium variegatum</i>	Whitetip clover	SW, SS	AH	FACW	Fabaceae
<i>Trifolium willdenovii</i> [ <i>T. tridentatum</i> ]	Tomcat clover	AG, D	AH	NL	Fabaceae

Plant Species Observed at the Yolo Grassland Regional Park (2009-2010)

<i>Trifolium wormskioldii</i> [ <i>T. fendleri</i> , <i>T. fimbriatum</i> , <i>T. spinulosum</i> , <i>T. willdenovii</i> ]	Cows clover	SW, SS	PH	FACW	Fabaceae
<i>Triphysaria eriantha</i> [ <i>Orthocarpus erianthus</i> var. <i>e.</i> ]	Butter-and-eggs, Johnny tuck	AG, SW	AH	NL	Scrophulariaceae
<i>Triteleia hyacinthina</i> [ <i>Brodiaea</i> h.]	White triteleia	SW, SS	PH	FACW*	Amoryllidaceae
<i>Veronica peregrina</i> ssp. <i>xalapensis</i>	Purslane speedwell	VP, VS, SW, SS	AH	OBL	Scrophulariaceae
<i>Vicia benghalensis</i> *	Mediterranean vetch	AG	AH	NL	Fabaceae
<i>Vicia sativa</i> ssp. <i>nigra</i> * [ <i>V. angustifolia</i> ]	Sweet or spring vetch	AG	AH	FACU	Fabaceae
<i>Vicia sativa</i> ssp. <i>sativa</i> * [ <i>V. angustifolia</i> vars. <i>segetalis</i> & <i>uncinata</i> ]	Sweet or spring vetch	AG	AH	FACU	Fabaceae
<i>Vicia villosa</i> ssp. <i>villosa</i> *+	Hairy or winter vetch	AG	AH	NL	Fabaceae
<i>Viola pedunculata</i>	Johnny jump-up	AG	PH	NL	Violaceae
<i>Vulpia bromoides</i> * [ <i>Festuca dertonensis</i> ]	Slender fescue	VP, VS, SW, SS	AG	FACW	Poaceae
<i>Vulpia microstachchys</i> var. <i>microstachys</i> [ <i>Festuca arid</i> , <i>F.m.</i> , <i>V.a.</i> ]	Small fescue	AG	AG	NL	Poaceae
<i>Vulpia microstachys</i> var. <i>pauciflora</i> [ <i>Festuca reflexa</i> , <i>F. m.</i> var. <i>p.</i> , <i>F. pacifica</i> , <i>V. p.</i> , <i>V. r.</i> ]	Few-flowered fescue	AG	AG	NL	Poaceae
<i>Vulpia myuros</i> var. <i>myuros</i> * [ <i>Festuca m.</i> ]	Rattail fescue	AG	AG	NL	Poaceae
<i>Xanthium strumarium</i> * [vars. <i>Canadense</i> & <i>glabratum</i> ]	Cocklebur	SW	AH	FAC	Asteraceae

Notes:  
 Scientific nomenclature follows Bailey and Bailey (1976) for ornamentals, Hickman (1993) for natives, and Skinner and Pavlik (1994) for special-status species.  
 An \* indicates non-native taxa that have become naturalized or persist without cultivation.  
 An \* indicates ornamental or agricultural plant species that are actively cultivated.  
 Common names follow Abrams and Ferris (1960), Bailey and Bailey (1976) for ornamentals, and Hickman (1993), Niehaus and Ripper (1976), and DeGarmo (1980) for natives.  
 Synonyms in parentheses for scientific and common names are preferred.

Wetland indicator status (Reed 1988)	Growth Habit
OBL = obligate wetland species, occurs almost always in wetlands (>99% probability)	AG = annual grass
FACW = facultative wetland species, usually found in wetlands (67-99% probability)	AH = annual herb
FAC = facultative species, equally likely to occur in wetlands or nonwetlands (34-67% probability)	PG = perennial grass
FACU = facultative upland species, usually occur in nonwetlands (67-99% probability)	PH = perennial herb
NI = no indicator has been assigned due to a lack of information to determine indicator status	PV = perennial vine
* = a tentative assignment to that indicator status by Reed (1988)	S = shrub
NL (abbreviated for not listed) indicates that no wetland indicator status has been given in Reed (1988)	T = tree
Brackets around an indicator status indicates the wetland status as suggested by Dr. Brent Helm based on extensive field observations	
<b>Habitat Occurrence</b>	
AG = annual grassland	
D = developed	
SS = seasonal swale	
SW = seasonal wetland	
VP = vernal pool	
VS = vernal swale	