



U.S. Food & Drug Administration



[Home](#) [Safety Recalls, Market Withdrawals, & Safety Alerts](#)

Recall -- Firm Press Release

FDA posts press releases and other notices of recalls and market withdrawals from the firms involved as a service to consumers, the media, and other interested parties. FDA does not endorse either the product or the company.

Voluntary Recall Of Goya, Great Value, Hatuey, Mr. Special, Polar, Publix, Regal, And SuperMax Brand Malta Beverages In 7-oz Bottles Due To Possible Health Risk

Contact:

866-872-8860

FOR IMMEDIATE RELEASE - February 22, 2012 - The Florida Brewery, Inc. is recalling certain lots of Goya, Great Value, Hatuey, Mr. Special, Polar, Publix, Regal, and SuperMax brand non-alcoholic malta beverages packaged in 7-oz bottles because glass on the exterior of the bottles may break when the twist-off cap is removed from the bottle and can result in cuts to the mouth. To date, the Company has received two reports of consumers experiencing cuts to the mouth.

The Goya, Great Value, Hatuey, Mr. Special, Polar, Publix, Regal, and SuperMax brand malta beverage lot codes being recalled are:

Brand	Goya	Great Value	Hatuey	Mr. Special	Polar	Publix	Regal	Super Max
	12/01/13	1/05/13	12/21/13	11/30/13	11/30/12	11/28/13	12/01/13	12/09/13
	12/08/13	1/06/13	12/22/13	12/01/13	12/22/12	12/09/13	12/09/13	
	12/27/13		01/06/13	12/08/13	12/23/12	12/27/13	12/27/13	
Lot Code	12/28/13		01/07/13	12/09/13	12/29/12		12/28/13	
	12/29/13				12/30/12			
	01/06/13				01/03/13			
					01/04/13			

UPC 041331040068 681131762793 080480594909 008254820702 7591446006785; 041415109360 082502738889 870906000691
7591446006761

The lot codes are printed directly on the bottles above the label.

The Florida Brewery distributed the 7-oz Goya, Great Value, Hatuey, Mr. Special, Polar, Publix, Regal, and SuperMax brand malta beverages in Florida, Texas, Georgia, California and Puerto Rico during the period December 8, 2011 to February 1, 2012.

About the Recall

The Florida Brewery is working with the U.S. Food and Drug Administration to execute the recall.

The recall only affects the brands and lot codes listed above.

The Florida Brewery learned of this issue from consumer reports and initiated an investigation. The Company's investigation continues and it is taking steps to ensure that all appropriate measures are taken.

Information for Consumers

Consumers who are in possession of products with lot numbers listed above should return the product to the place of purchase. Consumers will receive either a full refund, product replacement, coupon or product credit.

Consumers can call The Florida Brewery's consumer hotline at **1-866-872-8860** weekdays between 8am and 8pm eastern standard time, and weekends between 8am and 5pm eastern standard time to obtain additional details on the recall and the product return process.

###

[RSS Feed for FDA Recalls Information](#)¹ [[what's this?](#)²]

[Spanish Version Of Press Release](#)³

[Photo: Product Labels](#)⁴

Recalled Product Photos Are Also Available on FDA's [Flickr Photostream](#).⁵

Links on this page:

1. [/AboutFDA/ContactFDA/StayInformed/RSSFeeds/Recalls/rss.xml](#)

2. </AboutFDA/ContactFDA/StayInformed/RSSFeeds/default.htm>
3. </Safety/Recalls/ucm293063.htm>
4. </Safety/Recalls/ucm293045.htm>
5. <http://www.flickr.com/photos/fdaphotos/sets/72157624901041809/>

- [Accessibility](#)
- [Contact FDA](#)
- [Careers](#)
- [FDA Basics](#)
- [FOIA](#)
- [No Fear Act](#)
- [Site Map](#)
- [Transparency](#)
- [Website Policies](#)

U.S. Food and Drug Administration
10903 New Hampshire Avenue
Silver Spring, MD 20993
Ph. 1-888-INFO-FDA (1-888-463-6332)
[Email FDA](#)



- [For Government](#)
- [For Press](#)
- [Combination Products](#)
- [Advisory Committees](#)
- [Science & Research](#)
- [Regulatory Information](#)
- [Safety](#)
- [Emergency Preparedness](#)
- [International Programs](#)
- [News & Events](#)
- [Training and Continuing Education](#)
- [Inspections/Compliance](#)
- [State & Local Officials](#)
- [Consumers](#)
- [Industry](#)
- [Health Professionals](#)



U.S. Department of Health & Human Services

Links on this page:

1. </AboutFDA/ContactFDA/StayInformed/RSSFeeds/Recalls/rss.xml>
2. </AboutFDA/ContactFDA/StayInformed/RSSFeeds/default.htm>
3. </Safety/Recalls/ucm293063.htm>
4. </Safety/Recalls/ucm293045.htm>
5. <http://www.flickr.com/photos/fdaphotos/sets/72157624901041809/>