Maternal Child and Adolescent Health Indicators

MCAH Advisory Board Retreat January 16, 2019

Haydee Dabritz, PhD, Epidemiologist Yolo County HHSA Community Health Branch



Health Indicators over the Life Course



Why Use Public Health Indicators?

- Reflect the state of health in a defined population
- Show larger issues that may require action
- Allow comparisons to State data and between subgroups
- Enable analysis of trends and progress towards goals (such as Healthy People 2020)
- Help identify upstream issues



Life Course Approach

- What happens at the start of life affects everything else
- Different indicators are important at different stages of growth and development
- Poverty and place play major roles
- Scholastic achievement, bullying, high school graduation, teen pregnancy have many implications for health as an adult
- We welcome input about trends or issues you think we should be tracking



Maternal-Infant Indicators


Prenatal Care

Mental Health/Substance Use Hospitalizations
Preterm Birth
Obesity and GDM
Poverty by City Age 0-5
FPL and Household Income
Breastfeeding Rates
Infant and Fetal Mortality






1 st Trimester Entry into Prenatal Care, Yolo County Resident Live Births, 2007–2018







1 st-Trimester Entry into Prenatal Care (PNC) by Race-Ethnicity





Source: Yolo County HHSA Community Health Branch, VRBIS


Percent of
Births with
First-Trimester
PNC
by ZIP Code,
Yolo County,
2017

Have data, need map





Hospitalization Rates for MDC*=19 (MH) and MDC=20 (A/D), Women Aged 15 to 44, Yolo County, 2012-2017




*Major Diagnostic Category 19=Mental Health and 20=Alcohol or Drug Abuse



Source: Office of Statewide Planning and Development (OSHPD), Patient Discharge Data, Yolo County residents




Hospitalization Rates for Pregnant Women with MH/Substance Use Diagnoses vs. California



Hospitalizations for Mental Health (MH) diagnoses, pregnant women

Hospitalizations for substance use diagnoses, pregnant women




2004 2005 2006 2007 2008 2009 2010 2011 2012 2013 2014 2015

Source: Family Health Outcomes Project (FHOP), OSHPD Patient Discharge Data, Yolo County vs. California





Infants (<90 d old) Hospitalized with Substance Use Diagnoses vs. California




In Yolo County, increased from 31 in 2004 to 105 in 2012, down to 54 in 2015

Source: Family Health Outcomes Project (FHOP), OSHPD Patient Discharge Data, Yolo County vs. California



Percent of Births Preterm (<37 wks), Yolo County Resident Live Births, 2007–2017






Source: Yolo County HHSA Community Health Branch, VRBIS



Percent of Yolo County Mothers with Pre-Pregnancy BMI ≥30 by Parity, 2007-2017




Multiparous: Significant for increasing trend (R squared=0.95)

Source: Yolo County HHSA Community Health Branch, VRBIS





Percent of Yolo County Births with Gestational Diabetes as a Complicating Factor, 2007-2017




Significant increasing linear trend 2007 to 2012 (R^2 =0.77), but not since Source: Yolo County HHSA Community Health Branch, VRBIS





Percent of Yolo County Children <5 years at or below 100% of FPL by City, 2008-2017



Source: American Community Survey, US Census Bureau, 2008-2017 five-year estimates





Federal Poverty Level (FPL) by Household Size, 2018

Persons in Household	100% FPL
1	\$12,140
2	\$16,460
3	\$20,780
4	\$25,100

Median income earnings per worker: \$35,544
Median family income (8.9M families): \$82,009
% of CA families w/children below FPL: 14.5%


% of CA female-headed HHs w/children below FPL: 32.7%


Source: US Census Bureau Table DP03 (2017) and Federal Register https://www.federalregister.gov/documents/2018/01/18/2018-00814/annual-update-of-the-hhs-poverty-guidelines





Percent of Infants Exclusively Breastfed in the Hospital, Yolo County vs. CA 2009-2017










Exclusive Breastfeeding Rates at 6 mos old, Yolo County WIC Program, 2014–2018*




*Thru November 2018



Source: Yolo County WIC Program, Raptor database

Yolo County Postneonatal Mortality Rates (Infant ≥28 to <365 d) vs. California and HP2020*









Deaths per 1,000 live births




Yolo County Neonatal Mortality Rates (Infant <28 d) vs. California and HP2020*







Yolo County Fetal Mortality Rates (20+ wks) vs. California and HP2020*





Source: CDPH, Fetal Death records for Yolo County





Yolo County Perinatal Mortality Rates (Fetal 28+ wks & Infant <7 d) vs. California and HP2020*










Infant Mortality by Race-Ethnicity, Yolo County, 2013-2017



73 Am Indian live births & 2 deaths; 350 Black births and 4 deaths

Source: Yolo County HHSA Community Health Branch, VRBIS



Early Childhood (Age 1 to 4) Indicators


Preschool Vaccinations Children in Foster Care Preschool Obesity Children in Special Ed Mental Health Utilization Oral Health





Percent of Children in Preschool/Childcare Up-to-Date on Vaccinations






Source: CDPH, Immunization Assessment





Substantiated Cases of Child Abuse/Neglect, Age 0-5, Yolo County




Source: UC Berkeley Center for Social Services Research (UCB CSSR) https://cssr.Berkeley.edu/ucb_childwelfare/Entries.aspx Copy Jennifer Edwards Yolo Co





Overweight among WIC Children Aged 2 to 4, Yolo County, 2014-2018






Source: Yolo County WIC Program, Raptor database





Oral Health - Percent of Children* in SmileSaver Program with Dental Decay by City



*Low-income children: migrant, preschool, Head Start, or elementary students

Source: SmileSaver, 2015-2016



School-Age (5 to 14) Child Health Indicators


Child Abuse

School Lunch Eligibility
Current on Vaccinations
Oral Health
Special Ed
Scholastic Achievement – 3rd G
Obesity/Overweight
Mental Health Hospitalizations
Social Connectedness/Bullying
Current Drug/Alcohol Use





Substantiated Cases of Child Abuse per 1,000 Children (0-17), Yolo County vs. CA, 2008-2017




Source: UCB CSSR

https://cssr.Berkeley.edu/ucb_childwelfare/Entries.aspx





Substantiated Cases of Child Abuse Children Aged 6-10 Years, 2008-2017




Source: UCB CSSR https://cssr.Berkeley.edu/





Student Eligibility for Free or Reduced Price School Meals, Yolo County vs CA: 2007–2015




Definition: Percentage of public school students eligible to receive free or reduced price meals. A child's family income must fall below 130% of the federal poverty guidelines (\$31,005 for a family of four in 2014-2015) to qualify for free meals, or below 185% of the federal poverty guidelines (\$44,123 for a family of four in 2014-2015) to qualify for reduced price meals.

Data Source: As cited on kidsdata.org, California Dept. of Education, Student Poverty FRPM Data (Mar. 2016); U.S. Dept. of Education, NCES Digest of Statistics (Mar. 2016).



Percent of Students 5-17 Eligible for Free or Reduced Price School Meals, Yolo County, 2007 vs. 2017




Source: California Department of Education (CDE) http://www.cde.ca.gov





Percent of Yolo County Kindergarteners Up-to-Date on Vaccinations, 2009-2017




School Year

Source: California Dept of Public Health, Immunization Assessment





Tdap Immunization Rates, Yolo County 7th Graders, 2011–2017




Source: California Dept of Public Health, Immunization Assessment





Denti-Cal Utilization Age 6-14, Yolo County




- ➤ Big drop after 2014 enrollees almost doubled (due to changes in Medi-Cal eligibility as a result of Obamacare)
- Lack of Denti-Cal providers in Yolo County
- Long waits to obtain appointments with Denti-Cal providers








Percent of Public School Children (0-17) Enrolled in Special Education, Yolo County



Source: CDE, <u>California Basic Educational Data System</u> (CBEDS), & <u>Special Education Division</u> custom tabulation (2016) Jennifer Travis, Help Me Grow??



3rd Grade CAASPP* English Language Proficiency, Yolo County 2015-2017




*California Assessment of Student Performance and Progress

Source: CDE http://www.cde.ca.gov





Body Composition of 7th Graders by School District, Yolo County, 2017–2018




Source: CDE, School Physical Fitness Testing

http://www.cde.ca.gov





Hospitalization Rates for Mental Health (MDC=19*) Age 1-14, 2012-2017




*Major Diagnostic Category 19 (Mental Health)

Source: OSHPD, Patient Discharge Data





School Connectedness by School District, 7th Grade, 2015–2017




School District/Area

Source: CHKS, https://calschls.org/reports-data/





Harassment and Bullying by School District, 7th Grade, 2015–2017




Source: California Healthy Kids Survey (CHKS),

https://calschls.org/reports-data/






Current Drug/Alcohol Use (past 30 d) by School District, 7th Grade, 2015-2017



School District/Area






Teen/Young Adult Indicators

Scholastic Achievement – 11th G
 High School Graduation
 Sexually Transmitted Disease
 (STD) Rates
 Teen Pregnancy
 Current Drug/Alcohol Use
 Suicide Ideation
 Youth (Age 15–24) Mortality





11th Grade Math, Met or Exceeded CAASPP* Standards, Yolo County 2015-2017




*California Assessment of Student Performance & Progress

Source: CDE http://www.cde.ca.gov





High School Graduation Rate, Yolo County vs. California 2011–2017




Source: CDE, http://www.cde.ca.gov






High School Graduation Rates by School District, Yolo County 2017–18



Source: CDE, http://www.cde.ca.gov




Age 15 to 19 Gonorrhea Rates, Yolo County vs. California 2011-2017



Chlamydia – no increase in CA; increasing trend for Yolo County (ρ²=0.88)

Gonorrhea – increasing trends both CA & Yolo County






Source: Yolo County Communicable Disease, CalREDIE database and CDPH STD Branch



Teen (Age 15-19) Birth Rates by Race-Ethnicity, Yolo County vs. California, 2007-2017



Source: Yolo County HHSA Community Health Branch, live births and CDC Wonder (California data)



Teen (Age 15 to 19) Birth Rates by ZIP Code, Yolo County, 2013-2017

Have data, need map

Source: Yolo County HHSA Community Health Branch, Live Births




Teen Birth Disparities

- ▶ In 2017: 78 births to teens aged 15–19 yr
 - 45/78 (58%) were to Hispanic teens (fewer than in the past)
 - 32/78 (41%) were to Woodland residents
 - 24/78 (31%) were to West Sacramento residents





Alcohol/Drug Use (past 30 d) by School District, 11th Grade, 2015-2017




Source: CHKS, https://calschls.org/reports-data/





Seriously Considered Suicide, 11th Grade, 2015–2017





School District/Area





Youth (Age 15-24), Mortality Rates Yolo County vs. California, 2007-2017










Youth (Age 15 to 24) Mortality Rates by Race-Ethnicity, Yolo County, 2013-2017



Source: Yolo County MCAH Program, Death Records



Youth (Age 15-24) Mortality Rates by ZIP Code, 2013-2017

Have data, need map



Conclusions - Accomplishments

- High in-hospital breastfeeding rates, but rate dropped in the past 2 yrs
- Met HP2020 goal for 6-mo exclusive breastfeeding, even among WIC mothers
- 1st-trimester entry into prenatal care higher than State and improved since 2016-17
- Low preterm births (<8%=March of Dimes goal)</p>
- Decreasing teen birth rates
- Low infant, child and young adult mortality vs. State and HP2020



Conclusions - Areas for Improvement

- Mental health hospitalization rates on the rise for moms and children, high % of children in CWS referred for services
- Disparities remain -poorer outcomes for Hispanic and black youth and mothers
- Scholastic achievement (3rd grade reading, 11th grade math) – most school districts performing worse than State



Conclusions - Areas for Improvement (cont'd)

- Fetal mortality (stillbirth) increased in past 5 years and does not meet HP2020 goal
- High proportions of mothers, children and youth are overweight or obese
- ► High percentage of pregnant mothers with GDM (8–10%)
- Large increase in STD rates for teens



Questions?



