

| Appointment Date: | |
|-------------------|--|
| Time: | |
| Location: | |

CONDITIONALLY EXEMPT SMALL QUANTITY GENERATOR WASTE INVENTORY LIST AND CERTIFICATION STATEMENT

| COMPANY NAME: | | |
|---|--|-----------------------------|
| • | | |
| COMPANY ADDRESS: | | |
| COMPANY PHONE: | | |
| EPA ID #: | | |
| | Amount of Waste Generated Per Month: | |
| | Amount of Waste Generated Per Year: | |
| | Waste Streams Generated: | |
| Waste Acceptance Program. quantity of waste does not ex | formation is correct, and I have read and understand the requirements for participation in the Conditionally Exempt I further certify that I am a Conditionally Exempt Small Quantity Generator as defined by Federal and California S ceed the specified limits for the type of waste being disposed. If this waste is later found to exceed small quantity limit I agree to complete a hazardous waste manifest and comply with other state regulations as appropriate. | State regulations, and this |
| SIGNATURE: | | |
| PRING NAME: | | |

| | Estimated | | | |
|---|-----------|-------------------|------------|--|
| Waste Description | Quantity | LB/Unit Price | Total Cost | |
| · | (lb/unit) | | | |
| Alkaline Batteries | | \$ 0.70 | \$ - | |
| Antifreeze | | \$ 0.30 | \$ - | |
| Asbestos | | \$ 0.25 | \$ - | |
| Bulked Flammable Liquids | | \$ 0.27 | \$ - | |
| Class 9 Non-RCRA Liquids | | \$ 1.20 | \$ - | |
| Class 9 Non-RCRA Solids | | \$ 1.20 | \$ - | |
| Corrosive Aerosols | | \$ 1.50 | \$ - | |
| Flammable Aerosols | | \$ 1.50 | \$ - | |
| Flammable Liquids | | \$ 0.65 | \$ - | |
| Flammable Solids | | \$ 2.50 | 7 | |
| Fusees (Flares) | | \$ 2.50 | \$ - | |
| Inorganic Acid | | \$ 0.90 | \$ - | |
| Inorganic Base | | \$ 0.90 | \$ - | |
| Latex Paint (Non-Recyclable) | | \$ 0.30 | \$ - | |
| Latex Paint (Recycled) | | N/C - Paint Care | | |
| Lead Acid Batteries | | N/C - Cell Energy | | |
| Lithium Batteries | | \$ 4.25 | \$ - | |
| Medical Waste - Non-Controlled Pharmeceuticals (Liquid) | | \$ 1.20 | \$ - | |
| Medical Waste - Non-Controlled Pharmeceuticals (Solid) | | \$ 1.20 | \$ - | |
| Medical Waste - Sharps | | \$ 1.20 | \$ - | |
| Mercury Other (not incl. bulbs) | | \$ 3.15 | \$ - | |
| Motor Oil | | N/C - OPP | | |
| Neon Bulbs & Related Material | | \$ 4.00 | \$ - | |
| Neutral Oxidizer | | \$ 1.80 | \$ - | |
| Oil Based Paint (Paint Care) | | N/C - Paint Care | | |
| Oil Based Paint & Related | | \$ 0.65 | \$ - | |
| Oil Filters | | \$ 0.40 | \$ - | |
| Organic Acid | | \$ 1.80 | \$ - | |
| Organic Base | | \$ 1.80 | T | |
| Organic Peroxide | | \$ 1.50 | \$ - | |
| Other PCB Waste (incl. ballasts) | | \$ 1.10 | \$ - | |
| Oxidizing Base | | \$ 1.80 | \$ - | |
| Paint Related Material (PRM) | | \$ 0.65 | \$ - | |
| PCB Containing Paint | | \$ 1.35 | T | |
| Poison/Toxic Liquids | | \$ 1.20 | | |
| Poison/Toxic Solids | | \$ 1.20 | \$ - | |
| Reactives | | \$ 2.50 | | |





| Grand Tota | | | | |
|------------|--|--|------------|--|
| | | \$ | - | |
| \$ | 25.00 | \$ | 25.00 | |
| \$ | 200.00 | \$ | - | |
| | | \$ | - | |
| | | \$ | - | |
| | | \$ | - | |
| | | \$ | - | |
| | | | | |
| \$ | 4.50 | \$ | - | |
| | 1.35 | \$ | - | |
| \$ | 1.35 | \$ | - | |
| \$ | 1.35 | \$ | - | |
| | | | | |
| \$ | 0.15 | \$ | - | |
| \$ | 2.50 | \$ | - | |
| \$ | 1.25 | \$ | - | |
| \$ | 6.00 | \$ | - | |
| \$ | 2.25 | \$ | - | |
| \$ | 30.00 | | | |
| \$ | 30.00 | | | |
| \$ | 20.00 | | | |
| \$ | 30.00 | | | |
| \$ | 30.00 | | | |
| | 15.00 | | | |
| | 15.00 | | | |
| ····· | | | | |
| Ś | 8.00 | Ś | | |
| | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | N/C - Yolo \$ 15.00 \$ 30.00 | N/C - Yolo | |