

Yolo County Post-Vaccination Guidance

While mRNA COVID-19 vaccines have demonstrated high effectiveness in preventing severe and symptomatic COVID-19 cases, fully vaccinated persons can still become infected with the virus that causes COVID-19, especially when community transmission is high. Vaccinated persons should continue to take steps to protect themselves and others.

Current guidance for persons who are fully vaccinated:

- 1. Wear a mask that covers your nose and mouth and fits snugly against the sides of your face without gaps when you are indoors in a public space.
- 2. Consider wearing a mask in indoor non-public settings if you will be persons who are unvaccinated or at high risk of severe disease.
- 3. Frequently wash your hands with soap and water or use hand sanitizer.
- 4. Follow CDC travel guidance.
- 5. Cover your coughs and sneezes.

Vaccinated persons who were exposed to someone with suspected or confirmed COVID-19 are not required to quarantine if they meet both of the following criteria:

- 1. Fully vaccinated (i.e., 2 or more weeks following receipt of the second vaccine dose in a 2-dose series, or 2 or more weeks following receipt of one dose of a single-dose vaccine).
- 2. Have remained asymptomatic since the current COVID-19 exposure.

Persons who do not meet both criteria should follow current quarantine guidance after exposure to someone with suspected or confirmed COVID-19.

Fully vaccinated persons who have no symptoms should get tested for COVID-19 5-7 days after their exposure to a positive person.

Monitor your health:

- Fully vaccinated persons who do not quarantine should still watch for symptoms of COVID-19 and wear a mask in indoor public settings for 14 days following an exposure.
- If you experience symptoms, you should get tested for COVID-19 immediately.

If you have any concerns or questions, please call your primary care doctor first. You can also call the Yolo County COVID-19 Public Line at: (833) 965-6268 (833-YOLOCOV).