FEMA Form 81-31, January 2003

O.M.B. No. 3067-0077 Expires December 31, 2005


ELEVATION CERTIFICATE

important: Read the instructions on pages 1 - 7.								
SECTION A - PROPERTY OWNER INFORMATION JILDING OWNER'S NAME	For Insurance Company Use:							
CAPAY VALLEY FIRE PROTECTION DISTIL	Policy Number							
BUILDING STREET ADDRESS (Including Apt., Unit, Suite, and/or Bidg. No.) OR P.O. ROUTE AND BOX NO.	Company NAIC Number							
RUMSEY STATE	ZIP CODE 95679							
PROPERTY DESCRIPTION (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.) APN 060 - 220 - 34	,							
BUILDING USE (e.g., Residential, Non-residential, Addition, Accessory, etc. Use a Comments area, if necessary	y.)							
LATITUDE/LONGITUDE (OPTIONAL) HORIZONTAL DATUM: SOURCE: L. LGPS (TVD	e):							
(##° - ##' - ##.##" or ##\$#####") NAD 19:7 _ NAD 1983 SOUNCE: GF3 (1)p								
SECTION B - FLOOD INSURANCE RATE MAP (FIRM) INFORM	ATION							
B1. NFIP COMMUNITY NAME & COMMUNITY NUMBER B2. COUNTY NAME	B3. STATE							
YOLO	CA							
B4. MAP AND PANEL B5. SUFFIX B6. FIRM INDEX B7. FIRM PANEL B8. FLC NUMBER DATE FFFECTIVE/REVISED DATE ZONE								
060423-0075 B DE 161980 EFFECTIVE/REVISED DATE ZONEI	(S) (Zone AO, use depth of flooding)							
B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in B9.	PROPATED FROM BH 4.18-B							
FIS Profile FIRM Community Determined Other (Describe): <u>U</u>	SGS MON. AT RUMSEY							
B11. Indicate the elevation datum used for the BFE in B9: NGVD 1929 NAVD 1988 Ott	ner (Describe):							
B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protect Designation Date:	ted Area (OPA)? Yes No							
SECTION C - BUILDING ELEVATION INFORMATION (SURVEY RE	FOUIRED)							
C1. Building elevations are based on: _ Construction Drawings* _ Building Under Construct								
*A new Elevation Certificate will be required when construction of the building is complete.	ion pali mished construction							
Building Diagram Number (Select the building diagram most similar to the building for which	h this certificate is being completed ¹ / ₂ see							
pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.) ·							
C3. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE,	AR/A1-A30, AR/AH, AR/AO							
Complete Items C3.a-i below according to the building diagram specified in Item C2. State the da	tum used. If the datum is different from							
the datum used for the BFE in Section B, convert the datum to that used for the BFE. Show field	measurements and datum conversion							
calculation. Use the space provided or the Comments area of Section D or Section G, as approp	riate, to document the datum conversion.							
Datum (164) 1929 Conversion/Comments								
Elevation reference mark used 1/565 BM A18-B Does the elevation reference mark used	appear on the FIRM2. Yes X No							
□ a) Top of bottom floor (including basement or enclosure) □ b) Top of next higher floor □ b) Top of next higher floor								
The state of the s								
☐ e) Lowest elevation of machinery and/or equipment	s and is an is							
servicing the building (Describe in a Comments area.)	Number, Number							
f) Lowest adjacent (finished) grade (LAG) 415. 60(m)	Z S							
g) Highest adjacent (finished) grade (HAG)	of agricult of Journal							
D h) No. of permanent openings (flood vents) within 1 ft. above adjacent grade	A LEGE CHANGE							
□ i) Total area of all permanent openings (flood vents) in C3.h sq. in. (sq. cm)								
SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION OF SURVEYOR OF SURV								
This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by I	aw to certify elevation information.							
I certify that the information in Sections A, B, and C on this certificate represents my best efforts to in I understand that any false statement may be punishable by fine or Imprisonment under 18 U.S. Cod	terpret the data available.							
CERTIFIER'S NAME LICENSE NUMB	CD -							
TITLE RAYMOND L. DOWELL ON NER RAYMOND L. DOWELL	L.S. 3932							
ADDRESS	LAND SURVEYOR							
SNATURE DATE 10 AD TE	<u>CA</u> 93693							
1 x cuspmed Total 10/21/03	530-662-0807							

See reverse side for continuation.

Replaces all previous editions

IMPORTANT: In these spaces, co	ppy the corresponding info	ormation from S	ection A.	For	nsurance Company Use			
IMPORTANT: In these spaces, copy the corresponding information from Section A. BUILDING STREET ADDRESS (Including Apt., Unit, Suite, and/or Bldg. No.) OR P.O. ROUTE AND BOX NO.					y Number			
379 7 H	WY 161							
WOO'RUMSE	SIA	CA	9567	CODE Com	pany NAIC Number			
SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION (CONTINUED)								
Copy both sides of this Elevation Ce	ertificate for (1) cor munity of	official, (2) insurar	nce agent/company,	and (3) build	ling owner.			
COMMENTS	1							
					_ 4			
			<u> </u>					
	, *				Check here if attachments			
SECTION E - BUILDING ELEV	ATION INFORM/.TION (SU	IRVEY NOT REC	UIRED) FOR ZONE	AO AND Z	ONE A (WITHOUT BF (E)			
For Zone AO and Zone A (without B			levation Certificate i	s intended fo	r use as supporting			
information for a LOMA br LOMR-F, E1. Building Diagram Number			the building for which	ch this cartific	este le heing completert -			
see pages 6 and 7. If no diagra					ate is being completers.			
E2. The top of the bottom floor (inclu	iding basement or enclosure	e) of the building	s _ ft. (m)	in. (cm)	above or below			
(check one) the highest adjacen			er aloughod floor (alo	vation b) of t	no building is			
E3. For Building Diagrams 6-8 with o	openings (see page 7), the rove the highest adjacent ara	ide. Complete Ite	ems C3.h and C3.i o	n front of for	n.			
E4. The top of the platform of machi	nery and/or equipment servi	icing the building	is _ ft. (m)	in. (cm)	above or belov/			
(check one) the highest adjacen	it grade. (Use natural grade	e, if available.)	tom floor alayated in	, accordance	with the community's			
E5. For Zone AO only: If no flood de floodplain management ordinan	epth number is available, is ce? Yes No	I Unknown. The	local official must ce	ertify this info	rmation in Section G.			
	F - PROPERTY CAVNER (C							
The property owner or owner's auti	norized representative who	completes Sectio	ns A, B, C (Items C3	3.h and C3.i	only), and E for Zone A			
(without a FEMA-issued or commuthe best of my knowledge.	nity-issued BFE) cr Zone A0	O must sign here.	The statements in	Sections A,	B, C, and E are correct to			
PROPERTY OWNER'S OR OWNER'S	AUTHORIZED REPFESENTA	TIVE'S NAME	10 - 10.	.0.0	1.6.0000			
RAYMON		- ~LAI			ZIP CODE			
ADDRESS 17873 (O. RD 97	$\zeta^{CITY} \mathcal{W}$	200DLAND	STATE	95695			
SIGNATURE	1-412	DATE 10		TELEPHONE	-662-0807			
COMMENTS	may force		2700	الا ت	002 0007			
					Check here if attachments			
	SECTION G - COMM				; ;			
The local official who is authorized be Sections A, B, C (or E), and G of this					inance can complete			
G1. The information in Section					y a licensed surveyor,			
	is authorized by state or loca	al law to certify el	evation information.	(Indicate the	e source and date of the			
elevation data in the Comm		located in Zone	ι Λ (without a EEMΔ-i	ssued or con	amunity-issued REE) or			
Zone AO.	sted Section E for a building	located in Zone	A (WILLIOUT & FEIVIA-1	ssued of cor	inunity-issued bir Lj Ci			
G3. The following information (I	tems G4-G9) is provided for	community flood	plain management p	ourposes.				
G4. PERMIT NUMBER	G5. DATE PERMIT ISSUED		G6. DATE CERTIFIC	CATE OF CON	IPLIANCE/OCCUPANCY			
	17 17 17 17 17 17 17 17 17 17 17 17 17 1		ISSUED					
G7. This permit has been issued for G8. Elevation of as-built lowest floor			Improvement	ft	(m) Datum:			
G9. BFE or (in Zone AO) depth of fla					(m) Datum:			
LOCAL OFFICIAL'S NAME	:	TITL	E		ř			
COMMUNITY NAME		TEL	EPHONE					
SIGNATURE	and the second s	DAT	E					
			····		<u>/i.</u>			
COMMENTS	<u> </u>				\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\			
					1			
	. #11 P				V			
	į.				I I Check here if attachments			



RUMSEY QUAD



1 = 2000 SCALE

OGO423-0075-B