## **ELEVATION CERTIFICATE**

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

951060 0.M.B. No 3067-0077 Expires May 31, 1993

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to stermine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR).

Instructions for completing this form can be found on the following pages.


				ic following pa	ges.
SECTION A PROPERTY INFORMATION BUILDING OWNER'S NAME					FOR INSURANCE COMPANY USE
GORDON RASMUSSEN					POLICY NUMBER
STREET ADDRESS (Including Apt., Unit, Suite and/or Bldg. Number) OR P.O. ROUTE AND BOX NUMBER					COMPANY NAIC NUMBER
36505 CO RD. 104					COMPANT NAIC NUMBER
OTHER DESCRIPTION (Lot and Block Numbers, etc.)  IN. S. W. VA SECTION 21 T. 7 N. P. 2 E. M. D.M. VOLO. COMMENT.					
CITY CITY					
DIXON				CA.	ZIP CODE 95620
SECTION B FLOOD INSURANCE RATE MAP (FIRM) INFORMATION					
Provide the following from the proper FIRM (See Instructions):					
1. COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLOOD ELEVATION
060423	0640	С	MAY 17, 1988	A-6	(in AO Zones, use depth)
7. Indicate the elevation datum system used on the FIRM for Base Flood Flevations (REF): NCVD 120 Other (describe on the FIRM)					
8. For Zones A or V, where no BFE is provided on the FIRM, and the community has established a BFE for this building site, indicate					
the community's BFE:					
SECTION C BUILDING ELEVATION INFORMATION					
1. Using the Elevation Certificate Instructions, indicate the diagram number from the diagrams found on Pages 5 and 6 that best describes the subject building's reference level					
(NOTE: Use of construction drawings is only valid if the building does not yet have the reference level floor in place, in which case this certificate will only be valid for the building during the course of construction. A post-construction Elevation Certificate will be required once construction is complete.)					
S. The elevation of the lowest grade immediately adjacent to the building is: 122.7 feet NGVD (or other FIRM datum-see Section B, Item 7).					
SECTION D COMMUNITY INFORMATION					
If the community official responsible for verifying building elevations specifies that the reference level indicated in Section C, Item 1 is not the "lowest floor" as defined in the community's floodplain management ordinance, the elevation of the building's "lowest floor" as defined by the ordinance is:  feet NGVD (or other FIRM datum—see Section B, Item 7).  Date of the start of construction or substantial improvement					

## SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. `mmunity officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the rtification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features—If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

l certify that the information in Sections B and C on this certificate represents my best efforts to interpret the cata available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001. CERTIFIER'S NAME LICENSE NUMBER (or Affix Seal) DOWELL RAYMOND L.S. 3932 COMPANY NAME RAYMOND DOWELL **ADDRESS** CITY CO. RD. 97 WOODLAND CA 9569 PHONE Copies should be made of this Certificate for: 1) community official, 2) insurance agent/company, and 3) building owner. COMMENTS: \_



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.

