## ELEVATION CERTIFICATE 04/-160-03 O.M.B. No. 3067-0077

FEDERAL EMERGENCY MANAGEMENT AGENCY

Expires July 31, 1999

NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). You are not I to respond to this collection of information unless a valid OMB control number is displayed in the upper right corner of this form. Instructions for completing this form can be found on the following pages.


SECTION A PROPERTY INFORMATION					FOR INSURANCE COMPANY USE
BUILDING OWNER'S NAME		POLICY NUMBER			
WILLIAM R. & STREET ADDRESS (Including Apl., Ur 39652 LAR	COMPANY NAIC NUMBER				
OTHER DESCRIPTION (Lot and Block	Numbers, etc.)	MEAD	OWS A	PN- 041	-160-03
CITY YOLO COUN			· ·	STATE CA	- 160 - 03 ZIP CODE 95616
SECTION B FLOOD INSURANCE RATE MAP (FIRM) INFORMATION					
Provide the following from the proper FIRM (See Instructions):					
	2. PANEL NUMBER 0 5 75	3. SUFFIX	4. DATE OF FIRM INDEX  3/99	5. FIRM ZONE	G. BASE FLOOD ELEVATION (in AO Zones, use depth)
7. Indicate the elevation datum system used on the FIRM for Base Flood Elevations (BFE): NGVD '29 Other (describe on back) 8. For Zones A or V, where no BFE is provided on the FIRM, and the community has established a BFE for this building site, indicate the community's BFE:					
	SECTION	C BUILDI	NG ELEVATION INFORM	IATION	1
(b). FIRM Zones V1-V30, VE, the selected diagram, is at (c). FIRM Zone A (without BFE below (check one) the (d). FIRM Zone AO. The floor one) the highest grade adjlevel) elevated in accordance. Indicate the elevation datum under Comments on Page 2) the FIRM [see Section B, Italiana equation under Comments on Page 2)	AH, and A (with BF GVD (or other FIRM and V (with BFE).  an elevation of L.  The floor used a highest grade adjaused as the refere acent to the building with the community system used in detaction (NOTE: If the elem 7), then convertin Page 2.)	The top I datum—see The bottom of the levation datum the elevation	Section B, Item 7). (GA) of the lowest horizontal str leet NGVD (or other FIR nce level from the selecter duilding. In the selected diagram is depth number is available lain management ordinance above reference level elemn used in measuring the enders to the datum system uses	LAGE AT ructural member of M datum—see See d diagram is L L leet at e, is the building' ce? Yes vations:  X  NGV elevations is differenced on the FIRM	of the reference level from ection B, Item 7).  I
4. Elevation reference mark used appears on FIRM: 🗵 Yes 🗌 No (See Instructions on Page 4)					
5. The reference level elevation is based on:  X  actual construction					
6. The elevation of the lowest go Section B, Item 7).	rade immediately a	djacent to the	e building is:  _ _ _ 4 8	.[3] feet NGVD (	or other FIRM datum-see
	SEC	CTION D CC	OMMUNITY INFORMATIO	N	·
1 "' 'he community official response the "lowest floor" as de moor" as defined by the ordina 2. Date of the start of construction	fined in the commu ance is: L_L_L_L	nity's floodpl	ain management ordinand NGVD (or other FIRM datu	ce, the elevation of mesee Section E	of the building's "lowest

certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation ormation when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an wner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features-II the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NAME	LICENSE NUMBER (or Allix Seal)				
RICHARD W. CHAMBERS	RE 24608				
TITLE  CIVIL ENGINGER 11,000	COMPANY NAME  NK ENGINEERING & SO	URUCYING CO.INC.			
ADDRESS 724 G STREET	CITY DAVIS	STATE ZIP C <i>A</i> 95616			
SIGNATURE RELATIONS CONTROL OF THE SIGNATURE	0ATE 7/7/88	(916) 758-6490			
Copies should be made of this Certificate for: 1)	Carlos Ver				
COMMENTS: THE GARAGE		2 WHICK IS			
	) ELEV.				
At the Property of the Control of th	<u> 11 - Francis II. (20 filos) (III.) (I</u> . M. Sarelli <u> </u>				



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.

